Harvard Pilgrim Health Care | TUFTS Health Plan

Point32Health companies

Payment Policy:

Laboratory: Immune Cell Function Assay

Effective date: Nov. 1, 2025

Applies to:

Commercial Products

☒ Harvard Pilgrim Health Care Commercial products
☐ Tufts Health Plan Commercial products

Public Plans Products

☐ Tufts Health Direct – A Massachusetts Qualified Health Plan (QHP) (a commercial product)
☐ Tufts Health Together – MassHealth MCO Plan and Accountable Care Partnership Plans
☐ Tufts Health RITogether – A Rhode Island Medicaid Plan
☐ Tufts Health One Care – A dual-eligible product

Senior Products

☐ Tufts Health Plan Senior Care Options (SCO) (a dual-eligible product)
☐ Tufts Medicare Preferred HMO/PPO (Medicare Advantage products)

Policy

Immune cell function assays involve measurement of peripheral blood lymphocyte response (intracellular ATP levels, proliferation) following stimulation to assess the degree of functionality of the cell-mediated immune response.

Indications and/or Limitations of Coverage

Application of coverage criteria is dependent upon an individual's benefit coverage at the time of the request.

The following does not meet coverage criteria due to a lack of available published scientific literature confirming that the test(s) is/are required and beneficial for the diagnosis and treatment of an individual's illness.

1. For all situations, an immune cell function assay (e.g., Pleximmune™, Pleximark™) **DOES NOT MEET COVERAGE CRITERIA**.

Applicable CPT/HCPCS Procedure Codes

Procedure codes appearing in policy documents are included only as a general reference tool for each policy. They may not be all-inclusive.

Coding

Code	Description
81560	Transplantation medicine (allograft rejection, pediatric liver and small bowel), measurement of donor and third-party-induced CD154+T-cytotoxic memory cells, utilizing whole peripheral blood, algorithm reported as a rejection risk score Proprietary test: Pleximmune™ Lab/Manufacturer: Plexision, Inc.
86352	Cellular function assay involving stimulation (eg, mitogen or antigen) and detection of biomarker (eg, ATP)
0018M	Transplantation medicine (allograft rejection, renal), measurement of donor and third-party-induced CD154+T-cytotoxic memory cells, utilizing whole peripheral blood, algorithm reported as a rejection risk score Proprietary test: Pleximark Lab/Manufacturer: Plexision, Inc.

Evidence-based Scientific References

1. Buttgereit F, Burmester GR, Brand MD. Bioenergetics of immune functions: fundamental and therapeutic aspects. Immunology today. 2000;21(4):192-9. doi:10.1016/S0167-5699(00)01593-0
2. Bonilla FA, Khan DA, Ballas ZK, et al. Practice parameter for the diagnosis and management of primary immunodeficiency. The Journal of allergy and clinical immunology. 2015;136(5):1186-205.e1-78. doi:10.1016/j.jaci.2015.04.049
3. Butte MJ. Laboratory evaluation of the immune system. Updated January 27, 2025. https://www.uptodate.com/contents/laboratory-evaluation-of-the-immune-system
4. Bonilla FA. Interpretation of lymphocyte proliferation tests. Annals of allergy, asthma & immunology : official publication of the American College of Allergy, Asthma, & Immunology. 2008;101(1):101-4. doi:10.1016/s1081-1206(10)60842-3
5. Fernandez-Ruiz M, Kumar D, Humar A. Clinical immune-monitoring strategies for predicting infection risk in solid organ transplantation. Clinical & translational immunology. 2014;3(2):e12. doi:10.1038/cti.2014.3
6. Notarangelo LD. Primary immunodeficiencies. The Journal of allergy and clinical immunology. 2010;125(2 Suppl 2):S182-94. doi:10.1016/j.jaci.2009.07.053
7. Oliveira JB, Fleisher TA. Laboratory evaluation of primary immunodeficiencies. The Journal of allergy and clinical immunology. 2010;125(2 Suppl 2):S297-305. doi:10.1016/j.jaci.2009.08.043
8. Picard C, Al-Herz W, Bousfiha A, et al. Primary Immunodeficiency Diseases: an Update on the Classification from the International Union of Immunological Societies Expert Committee for Primary Immunodeficiency 2015. Journal of clinical immunology. 2015;35(8):696-726. doi:10.1007/s10875-015-0201-1
9. Vella J. Transplantation immunobiology. Updated April 9, 2024. https://www.uptodate.com/contents/transplantation-immunobiology
10. Zhang W, Zhong H, Zhuang L, et al. Peripheral blood CD4(+) cell ATP activity measurement to predict HCC recurrence post-DCD liver transplant. International journal of clinical practice. 2016;70 Suppl 185(Suppl Suppl 185):11-6. doi:10.1111/ijcp.12811
11. Sottong PR, Rosebrock JA, Britz JA, Kramer TR. Measurement of T-lymphocyte responses in whole-blood cultures using newly synthesized DNA and ATP. Clinical and diagnostic laboratory immunology. 2000;7(2):307-11. doi:10.1128%2Fcdli.7.2.307-311.2000
12. Ashokkumar C, Gupta A, Sun Q, et al. Allospecific CD154+ T cells identify rejection-prone recipients after pediatric small-bowel transplantation. Surgery. 2009;146(2):166-73. doi:10.1016/j.surg.2009.04.006
13. Ashokkumar C, Soltys K, Mazariegos G, et al. Predicting Cellular Rejection With a Cell-Based Assay: Preclinical Evaluation in Children. Transplantation. 2017;101(1):131-140. doi:10.1097/tp.0000000000001076
14. Sindhi R, Ashokkumar C, Higgs BW, et al. Profile of the Pleximmune blood test for transplant rejection risk prediction. Expert review of molecular diagnostics. 2016;16(4):387-93. doi:10.1586/14737159.2016.1139455
15. Intellicyt. Immune Cell Function Assays. 2024;
16. Kowalski RJ, Post DR, Mannon RB, et al. Assessing relative risks of infection and rejection: a meta-analysis using an immune function assay. Transplantation. 2006;82(5):663-8. doi:10.1097/01.tp.0000234837.02126.70
17. Ling X, Xiong J, Liang W, et al. Can immune cell function assay identify patients at risk of infection or rejection? A meta-analysis. Transplantation. 2012;93(7):737-43. doi:10.1097/TP.0b013e3182466248
18. Wang Z, Liu X, Lu P, et al. Performance of the ImmuKnow assay in differentiating infection and acute rejection after kidney transplantation: a meta-analysis. Transplantation proceedings. 2014;46(10):3343-51. doi:10.1016/j.transproceed.2014.09.109
19. Jo Y, Lim J, Kim Y, Han K, Min WS, Oh EJ. CD4 T-cell function assay using Cylex ImmuKnow and lymphocyte subset recovery following allogeneic hematopoietic stem cell transplantation. Transplant immunology. 2015;33(2):78-83. doi:10.1016/j.trim.2015.09.001
20. Ravaioli M, Neri F, Lazzarotto T, et al. Immunosuppression Modifications Based on an Immune Response Assay: Results of a Randomized, Controlled Trial. Transplantation. 2015;99(8):1625-32. doi:10.1097/tp.0000000000000650
21. Piloni D, Magni S, Oggionni T, et al. Clinical utility of CD4+ function assessment (ViraCor-IBT ImmuKnow test) in lung recipients. Transplant immunology. 2016;37:35-9. doi:10.1016/j.trim.2016.04.001
22. Chiereghin A, Petrisli E, Ravaioli M, et al. Infectious agents after liver transplant: etiology, timeline and patients' cell-mediated immunity responses. Medical microbiology and immunology. 2017;206(1):63-71. doi:10.1007/s00430-016-0485-7
23. Liu W, Wang K, Zhao YH, Song GP, Gao W, Li DH. Clinical relevance of a CD4(+) T cell immune function assay in the diagnosis of infection in pediatric living-donor liver transplantation. Exp Ther Med. 2019;18(5):3823-3828. doi:10.3892/etm.2019.8003
24. Weston MW, Rinde-Hoffman D, Lopez-Cepero M. Monitoring cell-mediated immunity during immunosuppression reduction in heart transplant recipients with severe systemic infections. Clin Transplant. 2020;34(3):e13809. doi:10.1111/ctr.13809
25. Rodrigo E, Lopez-Hoyos M, Corral M, et al. ImmuKnow as a diagnostic tool for predicting infection and acute rejection in adult liver transplant recipients: a systematic review and meta-analysis. Liver transplantation : official publication of the American Association for the Study of Liver Diseases and the International Liver Transplantation Society. 2012;18(10):1245-53. doi:10.1002/lt.23497

26. Clark N, Cotler SJ. Infectious complications in liver transplantation. Updated August 1, 2025. https://www.uptodate.com/contents/infectious-complications-in-liver-transplantation
27. Monforte V, Ussetti P, Castejón R, et al. Predictive Value of Immune Cell Functional Assay for Non-Cytomegalovirus Infection in Lung Transplant Recipients: A Multicenter Prospective Observational Study. Archivos de Bronconeumología. 2021;doi:10.1016/j.arbres.2020.12.024
28. Xue F, Gao W, Qin T, et al. Immune cell function assays in the diagnosis of infection in pediatric liver transplantation: an open-labeled, two center prospective cohort study. Transl Pediatr. 2021;10(2):333-343. doi:10.21037/tp-20-256
29. Maidman SD, Gidea C, Reyentovich A, et al. Pre-transplant immune cell function assay as a predictor of early cardiac allograft rejection. Clin Transplant. 2022;36(7):e14745. doi:10.1111/ctr.14745
30. Chen JK, Salerno DM, Corbo H, et al. Immune cell function assay and T lymphocyte counts lack association with rejection or infection in pediatric heart transplant recipients. Clin Transplant. 2023;37(2):e14858. doi:10.1111/ctr.14858
31. Velleca A, Shullo MA, Dhital K, et al. The International Society for Heart and Lung Transplantation (ISHLT) Guidelines for the Care of Heart Transplant Recipients. The Journal of Heart and Lung Transplantation. 2022;0(0)doi:10.1016/j.healun.2022.09.023
32. Kobashigawa J, Colvin M, Potena L, et al. The management of antibodies in heart transplantation: An ISHLT consensus document. J Heart Lung Transplant. 2018;37(5):537-547. doi:10.1016/j.healun.2018.01.1291
33. Levine DJ, Glanville AR, Aboyoun C, et al. Antibody-mediated rejection of the lung: A consensus report of the International Society for Heart and Lung Transplantation. J Heart Lung Transplant. 2016;35(4):397-406. doi:10.1016/j.healun.2016.01.1223
34. Humar A, Michaels M. American Society of Transplantation recommendations for screening, monitoring and reporting of infectious complications in immunosuppression trials in recipients of organ transplantation. American journal of transplantation : official journal of the American Society of Transplantation and the American Society of Transplant Surgeons. 2006;6(2):262-74. doi:10.1111/j.1600-6143.2005.01207.x
35. AST. Guidelines for Post-Kidney Transplant Management in the Community Setting. 2009;
36. Razonable RR, Humar A. Cytomegalovirus in solid organ transplant recipients—Guidelines of the American Society of Transplantation Infectious Diseases Community of Practice. Clinical Transplantation. 2019;33(9):e13512. doi:10.1111/ctr.13512
37. Kotton CN, Kumar D, Caliendo AM, et al. pean Society for Immunodeficiencies guidelines for the management of patients with congenital athymia. Journal of Allergy and Clinical Immunology. 2024;154(6):1391-1408. doi:10.1016/j.jaci.2024.07.031

Publication History

03/01/2026: Annual review; administrative edits
09/01/2025: Policy created to support coverage guidelines, effective for dates of service beginning Nov. 1, 2025

Background and Disclaimer Information

This policy applies to the products of Harvard Pilgrim Health Care and Tufts Health Plan and their affiliates, as identified in the check boxes on the first page for services performed by contracted providers.

Payment is based on member benefits and eligibility on the date of service, medical necessity review, where applicable, and the provider's network participation agreement with the Plan. As every claim is unique, this policy is neither a guarantee of payment, nor a final indication of how specific claim(s) will be adjudicated. Claims payment is subject to member eligibility and benefits on the date of service, coordination of benefits, referral/authorization, and utilization management requirements (when applicable), adherence to Plan policies and procedures, and claims editing logic. An authorization is not a guarantee of payment.

Point32Health reserves the right to amend a payment policy at its discretion. CPT and HCPCS codes are updated as applicable; please adhere to the most recent CPT and HCPCS coding guidelines.

We reserve the right to conduct audits on any provider and/or facility to ensure accuracy and compliance with the guidelines stated in this payment policy. If such an audit determines that a provider/facility did not comply with this payment policy, Harvard Pilgrim Health Care and Tufts Health Plan will expect the provider/facility to refund all payments related to noncompliance.